

IDAHO DEPARTMENT OF ENVIRONMENTAL QUALITY

REUSE PERMIT

DMI-244-01 – Modification 1

Permittee Name: Golden West Produce, LLC

Effective Date of this Modification: September 27, 2019

Complete Description of Modification

The purpose of this Permit Modification is to extend the sampling and reporting due dates of the Reporting Requirement and Table 3 Monitoring Requirements. This modification requires that recycled water be sampled according to Table 3 *at such time that wastewater is produced*, and reported to DEQ *in the January 31 Annual Certification following Table 3 monitoring schedule* as shown below.

Table 2. Permit Limits and Conditions, Page 1, ninth row shall be replaced with the following:

Reporting Requirement	The laboratory analytical reports and chain of custody forms for the monitoring specified in Table 3, and the flow calculations and observations specified in Table 3 shall be submitted to the DEQ at the address below in the January 31 Annual Certification following Table 3 monitoring schedule.
------------------------------	--

Table 3. Monitoring Requirements, Page 2, shall be replaced with the following:

Monitoring Point Location	Sample Description	Sample Type and Frequency	Constituents (in milligrams per liter unless otherwise specified)
Recycled water at the discharge point to the reuse area	Recycled Water to Reuse Area	Grab/Monthly (first three months of recycled water generation)	- Nitrate-nitrogen, as N - Total Kjeldahl nitrogen, as N - Non-volatile dissolved solids - Chemical oxygen demand - Total coliform organisms/100 milliliters
Water used for steam cleaning	Recycled Water to Reuse Area	Monthly (first three months of recycled water generation)	- Flow (gallons/month)

The modifications described above in this Permit Modification 1 are hereby approved. This modification to the Permit is incorporated into, and constitutes a part of, Reuse Permit No DMI-244-01. This Permit Modification must be attached to the Permit. The Permit is incomplete and unlawful under IDAPA 58.01.17, *Recycled Water Rules*, without this Permit Modification attached.

Signed,



Aaron Scheff, Regional Administrator
Boise Regional Office
Department of Environmental Quality

9/27/2019

Date